

NORSOK – Coating system no. 4

(shall be pre-qualified)



Walkways, escape routes and lay down areas

Typical systems

Pre-qualifications tested according to Edition 5 of NORSOK M-501 are still valid as the coating systems also fulfil all requirements in Edition 6.

Other options are available- contact TSS

| System no. | Surface preparation | Coating system | DFT μm | Test report number |
|------------|---------------------|--|--|--|
| 4-1 | Sa 2½ | Baltoflake Baltoflake Baltoflake – Carborex - Baltoflake | 750 750 <u>600</u> 2100 | 410-02-0013 M13 |
| 4-2 | Sa 2½ | Jotamastic 80, alum. Jotamastic 80, alum. Jota Armour | 150 150 <u>1000</u> 1300 | 3410-10-0014 Mt06 |
| 4-3 | Sa 2½ | Jotamastic 80 WG, alum. Jotamastic 80 WG, alum. Jota Armour WG | 150 150 <u>1000</u> 1300 | 3410-12-006106 Mt01 |
| 4-4 | Sa 2½ | Marathon 550 Marathon 550 Aggregate Hardtop XP | 900 500 <u>50</u> 1450 | 3400-18-029130 Mt01 N4 NORSOK M-501 Edition 6 |